



## Armor Piercing Incendiary M8 (API)

|                    |   |
|--------------------|---|
| <b>Application</b> | Used against lightly armored targets and that contain flammable liquids, non-armored targets, concrete shelters, and targets resistant to Ball bullets. |
| <b>Weapons</b>     | M85, Browning M2HB and M2QCB machine-guns.  |

|                       |                                |
|-----------------------|--------------------------------|
| <b>Cartridge case</b> | Brass 70/30                    |
| <b>Primer</b>         | Percussion primer. Boxer type. |
| <b>Propellant</b>     | Single or double base.         |

|  |       |
|--|-------|
| <b>Cartridge length (mm)</b>                       | 137.8 |
| <b>Cartridge weight (g)</b>                        | 114.3 |
| <b>Projectile weight (g)</b>                       | 42.6  |
| <b>Velocity at 24m (m/s)-(ft/s) <sup>(1)</sup></b> | *     |
| <b>Action time (ms) <sup>(1)</sup></b>             | ≤ 4.5 |

(1) Temperature: 21°C (70°F); Test barrel length: 914mm (36")

\* To obtain conformity with the trajectory of the Ball M33 projectile



Av. Humberto de Campos, 3.220 – Zip Code 09426-900  
 Ribeirão Pires – SP – Brazil  
 Phone (55 11) 2139-8378 / (55 11) 2139-8372  
 Fax (55 11) 2139-8323  
 export@cbc.com.br – www.cbc.com.br