


# 5.56mm & 7.62mm IR-DIM Tracer

<b>Application</b>	Bullet trace performance invisible to the naked eye, but visible through night-vision devices (NVD's).
<b>Advantages</b>	<ul style="list-style-type: none"> <li>• Definite tactical advantage , with shooter location more difficult to be determined by enemies without NVD's</li> <li>• Minimum muzzle flash, suitable for the use of NVD by the shooter</li> <li>• Compliance with NATO MOPI requirements</li> </ul>



	5.56 x 45mm	7.62 x 51mm
<b>Cartridge length (mm)</b>	57.0	70.75
<b>Cartridge weight (g)</b>	12.4	24.0
<b>Projectile weight (g)</b>	4.0 <sup>(1)</sup>	9.0
<b>Action time (ms)</b>	≤ 3 <sup>(2)</sup>	≤ 4 <sup>(3)</sup>
<b>Full Brilliance</b>	Between 140m and 600m	Between 140m and 775m

(1) 1:7 Barrel twist (TW7)

(2) Temperature: -54°C (-65°F); Test barrel length: 508mm (20")

(3) Temperature: 21°C (70°F); Test barrel length: 560mm (22")

7.62 IR-DIM Tracer  
5.56 IR-DIM Tracer



Av. Humberto de Campos, 3.220 – Zip Code 09426-900  
Ribeirão Pires – SP – Brazil  
Phone (55 11) 2139-8378 / (55 11) 2139-8372  
Fax (55 11) 2139-8323  
export@cbc.com.br – www.cbc.com.br